





Array : SeaScan_USW_440_2m

Total volume : 440.0 cubic inch

-  Inactive guns
-  Single guns
-  Cluster guns




ARRAY LISTING

ARRAY NAME : SeaScan_USW_440_2m
NUMBER OF ACTIVE GUNS: 4
TOTAL ACTIVE VOLUME : 440 CU.IN.
NUMBER OF SPARE GUNS : 0

GUN #	GUN TYPE	X (m)	Y (m)	Z (m)	VOLUME (cu.in)	PRESSURE (psi)	DELAY (ms)	CLUSTER NUMBER
1	3	0.00	0.50	2.00	150	2000	0.00	1
2	3	0.00	-0.50	2.00	150	2000	0.00	1
3	3	1.70	0.50	2.00	70	2000	0.00	2
4	3	1.70	-0.50	2.00	70	2000	0.00	2


THE GUN TYPES ARE:
3: SLEEVE GUN

Far-field signature of array : SeaScan_USW_440_2m





DVS_V OUT -128/72

Amplitude spectrum of far-field signature of array : SeaScan_USW_440_2m




Source Directivity Plot - azimuth : 90.0 degrees - array SeaScan_USW_440_2m




DVS_V OUT -128/72

Source Directivity Plot - azimuth : 0.0 degrees - array SeaScan_USW_440_2m



Angle from the vertical marked in degrees.
Frequency (0 - 150.0 Hz) plotted along radii.



DVS_V OUT -128/72